HP LaserJet Enterprise M507 series



Handle business solutions securely, plus help conserve energy with HP EcoSmart toner

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer vou can rely on.8

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP LaserJet Enterprise M507n



HP LaserJet Enterprise M507dn



HP LaserJet Enterprise M507x

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.8
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Enhanced energy savings up to 29% over prior products plus save with Auto-on/Autooff technology.
- This printer fits in tight places to boost performance in almost any workspace.

Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁴—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloud-
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.⁵

Enhanced productivity keeps business moving

- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.7
- Don't wait for documents. Print your first page in as little as 10 seconds from energyefficient sleep mode.

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/printersThatProtect. For more information: http://www.hp.com/go/printersEcurityClaims
2 High Yeld Black Original Lasse spelled Toner Cartridges not included; please purchase separately
3 HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
4 HP Web leatandin is available for download at no additional charge at http://www.hp.com/go/securitymanager
5 HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
7 Wireless operations are compatible with 2 4 GHz operations only. App or software and HP eith raccount registration may also be required. Some features require purchase of an optional accessory, Learn more at http://www.hp.com/go/mobileprinting
8 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
9 An FCC class A enissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device cannot be marketed for use in a residential environment and an FCC class A device cannot be marketed for use in a residential environment and the total communications.

Product walkaround



Series at a glance







Model	HP LaserJet Enterprise M507n	HP LaserJet Enterprise M507dn	HP LaserJet Enterprise M507x
Product number	1PV86A	1PV87A	1PV88A
Print speed (black) ⁷	Up to 45/43 pages per minute (ppm) (letter/A4) (all models)		
Control panel	2.7-inch (6.9 cm) LCD with keypad 4.3-inch (10.9 cm) touchscre		4.3-inch (10.9 cm) touchscreen
Automatic two-sided printing	Manual (driver support provided)		√
100-sheet multipurpose tray 1, 550-sheet input tray 2	√		
Standard 550-sheet paper tray 3	Not available √		√
Optional 550-sheet paper tray	Add up to three		
Optional printer cabinet	Add up to one (all models)		
Input capacity (standard/maximum ⁸)	Up to 650/2,300 sheets		
Hardware Integration Pocket ¹	Not available		√
Recommended Monthly Page Volume ⁹	2,000 to 7,500 pages (all models)		
Cartridge yield ¹⁰	Black: ~5,000/10,000/20,000 (standard/high-yield/extra-high-yield) (all models)		
Wireless direct printing ¹¹ /NFC touch-to-print ¹²	Optional		Built-in wireless direct printing; optional NFC touch-to-print
Dual-band Wi-Fi® with Bluetooth® Low Energy ⁶	Optional		Built-in

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Laser Jet Enterprise M507dn and M507x models include a second-generation HIP. The M507n does not include a HIP.
2 An administrator must enable the easy-access USB port before use.
3 Tray 3 is only standard on the M507x model.
4 The HP Laser Jet Enterprise M507x model comes with a 4.3-inch (10.9 cm) buchscreen control panel. The HP Laser Jet Enterprise M507n and M507dn models come with a 2.7-inch (6.9 cm) display with 24-key pad.
5 Automatic two-side printing is not available on the HP Laser Jet Enterprise M507x and optional to the MFP with Bluetooth* Low Energy is standard on the HP Laser Jet Enterprise M507x and optional on the M507n models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900m Print Server (B031A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fis a registered trademark of Wi-Fi Alliance*. Bluetooth is a trademark owned by its proprietor and used by HP inc. under license. Learn more at hyp.com/gol/mobileprinting.
7 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
8 Purchase of optional paper trays required to reach maximum input capacity.
9 Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

period.

10 Declared yield value in accordance with ISO/EC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

11 Wireless direct printing is standard on the HP LaserJet Enterprise MSD7x. The MSD7n and MSD7dn models can add wireless direct printing with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see the com/go/businessmobileprinting.

12 Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

HP printers have the industry's strongest security because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business.

Accessories

2MU47A HP Accessibility Assistant

2NR12A HP Removable Hard Drive Enclosure

3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory

B5L28A HP Internal USB Ports

B5L29A HP High-Performance Secure Hard Disk F2A72A HP LaserJet 550-sheet Paper Tray F2A73A HP LaserJet Printer Cabinet G6W84A HP 1 GB 90-pin DDR3 DIMM

J8030A HP Jetdirect 3000w NFC/Wireless Accessory J8031A HP Jetdirect 2900nw Print Server **1PV95A** HP USB Port 100pc M507/M528 Accy

5ELO3A HP TAA Version Secure Hard Disk Drive

G6W84A HP 1GB 90-Pin DDR3 DIMM X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader 4QL32A HP Legic Card Reader

Supplies

HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages) CF289A HP89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF289X HP89Y Extra High Yield Black Original LaserJet Toner Cartridge (~20,000 pages) CF289Y

Services

UB6Z2E: HP 3 years Next Business Date w/DMR LaserJet Enterprise M507 SVC UB6Z3E: HP 4 years Next Business Date w/DMR LaserJet Enterprise M507 SVC

UB6Z4E: HP 5 years Next Business Date w/DMR LaserJet Enterprise M507 SVC

UB6Z5E: HP 3 years 4 hours 9x5 w/DMR LaserJet Enterprise M507 SVC

UB6Z6E: HP 4 years 4 hours 9x5 w/DMR LaserJet Enterprise M507 SVC

UB6Z7E: HP 5 years 4 hours 9x5 w/DMR LaserJet Enterprise M507 SVC

UB7A1E: HP 3 years ChnlPartsOnly LaserJet Enterprise M507 SVC UB7A2E: HP 4 years ChnlPartsOnly LaserJet Enterprise M507 SVC

UB7A3E: HP 5 years ChnlPartsOnly LaserJet Enterprise M507 SVC

UB7A4PE: HP 1 year PageWide Next Business Date w/DMR LaserJet Enterprise M507 SVC

UB7A5PE: HP 2 years PageWide Next Business Date w/DMR LaserJet Enterprise M507 SVC UB7A6PE: HP 1 year PageWide w/DMR 4 hours 9x5 LaserJet Enterprise M507 SVC

UB7A7PE: HP 2 years PageWide w/DMR 4 hours 9x5 LaserJet Enterprise M507 SVC

UB7B0PE: HP 1 year PageWide ChnlPartsOnly LaserJet Enterprise M507 SVC

UB7B1PE: HP 2 years PageWide ChnlPartsOnly LaserJet Enterprise M507 SVC













Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

High Auto-On/Auto-Off Technology capabilities are subject to printer and settings.

HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

HP Jetadmanage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager

Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting

To reable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth* Que beerong tile. Descroning capabilities. Subscription may be required. For more information, visit hp.com/go/roam

An ECC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an exception communications.

HP LaserJet Enterprise M507 series

Model	HP LaserJet Enterprise M507n	HP LaserJet Enterprise M507dn	HP LaserJet Enterprise M507x		
Product number	1PV86A	1PV87A	1PV88A		
AIO functions Print	Print				
Print speed ¹³ , ¹⁴ ,	Letter: Up to 45 ppm (default) : Up to 52 ppm (HD High Speed) Black: 2-cide	d: Unito 26 inm Black: First page out: As fast as 5.0 sec Black: Print speed (Lan	decane AS): IIn to 65 npm Plack		
Print speed 1, ,	Letter: Up to 45 ppm (default); Up to 52 ppm (HP High Speed) Black; 2-sided: Up to 36 ipm Black; First page out: As fast as 5.9 sec Black; Print speed (Landscape, A5): Up to 65 ppm Black Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi				
Print technology	Black (Dest) Up to 12:00 x 12:00 up; Black (normal up to solux 6:00 dp; Black Une mies) up to 12:00 x 12:00 dpi Laser; Phir resolution technology 3:00 db; 10 db; 1				
Print cartridges number	Laser, militiesolution recurringly, sour upir, etc. gaptines 1200, http://doi.org/10.1001/j.j.gaptines.1200				
Standard print languages	+ NOME OF THE PROPERTY OF T				
Printer smart software	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16),	collation, watermarks, store print jobs, easy-access USB			
Printer management / HP	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP Jet	:Advantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; I	Printer Administrator Resource Kit for HP Universal Print Driver (Driver		
SureSupply ¹⁰	Configuration Utility - Driver Deployment Utility - Managed Printing Adminis	trator)/ Yes			
Connectivity		1	Laure In a urnan aure Inchange in a callage		
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy		
Network capabilities	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless	HP Jetdirect 2900nw Print Server J8031A	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wirele Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless		
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w MFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3/M59A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE.		
Mobile printing capability ⁷	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM optional for easy printing	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM capable for easy printing	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM optional for easy printing; Wi-Fi® Direct printing		
Memory	Standard: 512 MB; Maximum: 1.5 GB MAX memory, when Accessory DIMM is	The state of the s	· · ·		
Processor speed	1.2 GHz / Storage: 4 GB EMMC / Hard disk: Optional, 500 GB minimum encry				
Duty cycle (monthly)8	Letter:Up to 150,000 pages; Recommended monthly page volume9: 2,000	to 7,500			
Paper handling					
Input	100-sheet multipurpose Tray 1, 550-sheet input tray 2; Up to 650 sheets Standard	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing; Up to 650 sheets Standard	100-sheet multipurpose Tray 1, 550-sheet input Trays 2 and 3, automatic duplex printing; Up to 1200 sheets Standard		
Output	Standard: 250-sheet output bin; Up to 250 sheets Standard; Transparencies	_ '			
Duplex Options	Manual (driver support provided) Automatic (standard)				
Envelope feeder	No .				
Standard paper trays Media types	2 3 Cases found calculates bearing a propositional annual				
Media weight	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined Tray 1: 16 to 53 lb; tray 2+: 16 to 32 lb				
	Tray 1: 1et to 5-3 (0); Tray 2-4: 1 to 16 3/2.00 Tray 1: 1et to 5-3 (0); Tray 2-4: 1 to 16 3/2.00 Tray 1: 1et te, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal				
Media sizes Media Sizes Custom	executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, 8.5 x 13 in				
Dimensions (w x d x h)	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in 16.46 x 14.80 x 11.77 in; Maximum: 16.46 x 25.16 x 11.77 in 16.46 x 14.80 x 18.94 in; Maximum: 16.46 x 25.16 x 11.77 in				
Weight ²	24.7 lb	25.5 lb	36.3 lb		
What's in the box ¹	HP Laser Jet Enterprise M507n Printer; HP Original Laser Jet Toner Cartridge (~5,000 pages); Regulatory flyer (CD replacement); Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; USB-8ft cable (AP) region only)	HIP Laser Jet Enterprise M507dn Printer; HP Original Laser Jet Toner Cartridge (~5,000 pages); Regulatory flyer (CD replacement); Chile Regulatory flyer (MACB); Unpack Hyer, Installation Guide; Power cord; Warranty Cards; Support flyers/number list; USB-8ft cable (AP) region only)	HP LaserJet Enterprise M507x Printer; HP Original LaserJet Toner Cartridgi (~5,000 pages); Regulatory flyer (CD replacement); Unpack Flyer; Installation Guid; Power cord; Warranty Cards; Support flyers/phone number list; USB-8ft cable (AP) region only).		
Replacement cartridges	HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages) CF289A; HP8 pages) CF289Y	39X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF289X	; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~20,000		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options and support options in your region. (wty code 4G; wty ID A001)	s vary by product, country and local legal requirements. Contact your Contract	ual Vendor or go to hp.com/support to learn about HP award winning service		
Energy star certified		Voc			
Energy efficiency compliance	No Yes CECP Blue Angel; CECP; EPEAT® Gold; ENERGY STAR® qualified Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® qualified		Rive Angel: FDEAT® Silver: CECD: ENERGY STAR® qualified		
			4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating		
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad		(adjustable angle) display; Home button 4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating		
Display	, , , , , , , , , , , , , , , , , , ,	2.7-in (6.86 cm) QVGA LCD (color graphics) 4.3-in (1.02-cm) Color graphics bisplay (LGD) with touchscreen, rotating (adjustable angle).			
Software included	No software solutions are included in the Box, only on http://hp.com, http://123.hp.com				
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCLS Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guide, Search for your product name and search for User Guide, Search for your product name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems, For more information the supported operating systems see http://www.hp.com/go/upd				
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2008 R2, Failover Cluster 2008 R2, Failover Cluster 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell Print server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://bc.orm/local-printing. Unix-For more information see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers-, Supported for Compatible Network Operating systems please see http://hp.com/go/upd				
Minimum system requirements	PC2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com;				
Power ^{4 5}	Power supply type: Built-in 115V or 220V Power Supply, required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,				
Acoustics	Acoustic power emissions: 6.9 B(A) Acoustic power emissions: 6.8 B(A)				
Operating environment	Operating temperature range: 50 to 90.57°; Recommended operating temperature: 59 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Storage temperature range: -4 to 104°°; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80.6°°; Operat				
	70% RH	user DIN codes; entitled IID and 2rd parts at a sent at the attention of	a gui hadga yaadayah Natuuyla IDeac/Feer elli viith Ceat/Feet e De Cili IV		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers), Network: Psec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WAH-of 10 Psec configuration Plug-in; 802.1 X authentication (EAP-PEAP, EAP-TS), SNMPAy; HTTPS, Certificates; Access Control List; Datas Storage Encryption; Encrypted Def & Email (uses) PEAP-TS, SNMPAy; HTTPS, certificates; Access Control List; Datas Storage Encryption; Encrypted Def & Email (uses) PEAP-PEAP, EAP-TS, SNMPAy; HTTPS, certificates; Access Control List; Datas Storage Encryption; Encrypted Def & Email (uses) PEAP-PEAP, EAP-PEAP, EAP-PE				

- 1 In box cartridge yields 5,000 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

 2 With print cartridges

 3 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

 4 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

 5 Best TEC is not applicable to the ES 2.0 TEC. This ensaurement was made with the printer configuration optimized for energy efficiency. Minimum Sleep belay was used, Wi-Fi Direct was disabled, and Active I/O Energy Efficient Ethernet was used.

 6 Declared yields value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printer and void the product warranty. Energy was used, Wi-Fi Direct was disabled, and Active I/O Energy Efficient Ethernet was used.

 7 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BELE) beaconing capabilities. Customer can purchase the HP letdirect 3100W BLE/INFC/Wireless accessory or the RadBeacon USB. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory or the RadBeacon USB.

 Botty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

 9 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

 10 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply.

 11 FCC Class A emissions - for use in commercial environments, not residential environments

 12 Measured using ISO 24734 Feature Test, As Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

 13 Measured using ISO/IEC 24734 Office Suite and Feature Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, document complexity, media size, media orientation and media type. HP High Speed may require FW upgrade to enable.

 14 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, driver, and document complexity.

To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

